

What is rrc2040-2 battery pack?

The high performance RRC standard battery pack RRC2040-2 from the POWERPAQ product line with 10.80V/6.90Ah/74.52Wh. RRC2040-2 Standard battery pack RRC2040-2 (3S2P) with 10.80V /6.90Ah /74.52Wh Worldwide approvals and certification of safety standards No development costs, fast time-to-market

What is rrc2040-2?

RRC2040-2 The high performance RRC standard battery pack RRC2040-2 from the POWERPAQ product line with 10.80V/6.90Ah/74.52Wh. RRC2040-2

Does rrc20xx come with a battery charger?

Fits to all RRC20xx standard smart batteries. External power supply (worldwide use) for embedded battery charger RRC-PMM240 or for mobile devices. Included in RRC-SMB-UBC/MBC. PS65. 90.00W car adapter with USB charging port. Power supplying in cars and trucks for RRC-SMB-UBC, RRC-SMB-MBC, RRC-PMM240 or mobile devices.

Does rrc20xx have a power management module?

Power management module for smart battery charging with automatic power source selection. Fits to all RRC20xx standard smart batteries. External power supply (worldwide use) for embedded battery charger RRC-PMM240 or for mobile devices. Included in RRC-SMB-UBC/MBC. PS65. 90.00W car adapter with USB charging port.

Octopart is the world's source for RRC2040-2 availability, pricing, and technical specs and other electronic parts. ... Battery Packs 11.1V, 6.4Ah, 72Wh battery (3s2p) \$ 103.69. Add to BOM. Datasheet. Price and Stock. Authorized Distributors. Non-Authorized Stocking Distributors.

Buy New Genuine RRC2040-2 For Olympus Epoch 650 ultrasonic Flaw Detector Industrial Battery with fast shipping and top-rated customer service. Newegg shopping upgraded (TM) ... Battery Type: Li-ion Battery Voltage: 10.8V Battery Capacity: 72.36Wh /6700mAh Battery Color: Black Replace Part Numbers: RRC2040-2, 410030-04, 31NR19/66-2

Page 2 Instruction Manual Battery Pack RRC2040-2 &lt;10% 10-25% 26-50% 51-75% 76-100% 2 / 29 Manual\_RRC2040-2\_D Subject to technical changes without notice \* Released document - Copy is not subject to revision service! Page 3 Gas-Atmosph&#228;re. Lagern Sie die Batterie mit einem Ladezustand zwischen 40-60%.

This is a Genuine RRC RRC2040-2 Rechargeable Smart Battery Pack Li-ion 6400mah 410030-03. Make sure this battery's picture is most the same as your original laptop computer battery, such as model, voltage,

capacity, shape, interface location, fixed screw hole location, number of ...

Manual\_RRC2040-2\_B Subject to technical changes without notice \* Released document - Copy is not subject to revision service! 1 / 28 Instruction Manual RRC2040-2 Deutsch ... The battery must be recycled or disposed of properly. Operating Temperature: For charge: 0&#176;C to +45&#176;C For discharge: -20 &#176;C to + 60 &#176;C

RRC2040, NC2040HD31, NC2040, NC2040GS- 10.8V 3.1Ah (33.5Wh) Lithium Ion Battery Our RRC2040 battery crosses to NC2040HD31 is also known as N2040GS-GSSSI, NC2040. It offers 11.1V/3.0Ah (33Wh) of power - it is a ...

3 ???&#0183; RRC2040-2 RRC Power Solutions Battery Packs 11.1V, 6.4Ah, 72Wh battery (3s2p) datasheet, inventory, & pricing. (800) 346-6873. Contact Mouser (USA) (800) 346-6873 | Feedback. Change Location. English. Espa&#241;ol \$ USD United States. Please confirm your currency selection:

Smart Battery Packs RRC Power Solutions Smart Battery Packs are off-the-shelf batteries with worldwide certifications and approvals. These smart battery packs are able to communicate via SMBus (SMART standard) / I 2 C and feature Lithium-Ion technology for medical, military, and industrial applications. These batteries from RRC Power Solutions are designed for use with ...

[SBDS] - Smart Battery Data Specification (Revision 1.1, December 11, 1998) [SBCS] - Smart Battery Charger Specification (Revision 1.1, December 11, 1998) [SBSS] - Smart Battery Selector Specification (Revision 1.1, December 11, 1998) 1.4. Acronyms and Terminology The following acronyms and terms are commonly used throughout this document

Standard battery pack RRC2040-2 (3S2P) with 10.80V / 6.90Ah / 74.52Wh. Worldwide approvals and certification of safety standards; No development costs, fast time-to-market; Smart batteries with numerous features according to the SMBus specification; Integrated LED State of Charge (SoC) indicator;

RRC2040-2 DS\_RRC2040-2\_F Subject to technical changes without notice \* Released document - Copy is not subject to revision service! 1 / 4 RRC2040-2 Rechargeable Smart Battery Pack Li-Ion 10.80V / 6.90Ah / 74.52Wh P/N: 100559 Features Worldwide approvals and certification of safety standards No development costs, fast time -to market

GHAG Replacement Battery for RRC2040-2 6400MAH 72.0WH NOTE: Price is for one pc ===== 1.All Products have 13 Months Warranty, Any Problem You Can Send Back To Our USA Warehouse,We Renew It Or Refund You. 2.For Whatever Reason, Even You Just Do Not Want The Order Any More, Just Send Back Product To Our US Warehouse We Refund You At ...

Battery Life Management: Schutz vor schneller Zellalterung; Erh&#246;hter ESD-Schutz bis zu 8.00KV; Bis zu 80% der Anfangskapazit&#228;t nach 800 Zyklen; Bitte beachten Sie, dass die aufgef&#252;hrten

Produktinformationen und Downloads für die jeweils neueste Version der RRC2040-2 gelten. Vorherige Versionen finden Sie hier.

Instruction Manual Battery Pack RRC2040-2 <10% 10-25% 26-50% 51-75% 76-100% . Manual\_RRC2040-2\_D Subject to technical changes without notice \* Released document - Copy is not subject to revision service! 3 / 29 Deutsch Bedienungsanleitung Diese Bedienungsanleitung enthält Hinweise zur Handhabung als auch wichtige Sicherheitshinweise. ...

RRC2040-2 Standard battery pack (3S2P) 10.80V / 6.90Ah / 74.52Wh Features: - Worldwide approvals and certification of safety standards - No development costs, fast time-to-market - Smart batteries with numerous features according ...

RRC2040-2 Standard battery pack (3S2P) 10.80V / 6.90Ah / 74.52Wh Features:- Worldwide approvals and certification of safety standards- No development costs, fast time-to-market- Smart batteries with numerous features according to the SMBus specification- Integrated LED State of Charge (SoC) indicator.

Web: <https://www.sailesindustrialmachinery.co.za>